

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**


PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: G07F 13/08	A1	(11) International Publication Number: WO 97/18538 (43) International Publication Date: 22 May 1997 (22.05.97)
(21) International Application Number: PCT/NL96/00454 (22) International Filing Date: 15 November 1996 (15.11.96) (30) Priority Data: 1001664 16 November 1995 (16.11.95) NL (71) Applicant (for all designated States except US): AIR DELIGHT HOLDING B.V. [NL/NL]; Grote Tocht 25a, NL-1507 CG Zaandam (NL). (72) Inventor; and (75) Inventor/Applicant (for US only): HUISMAN, Frits, Johan [NL/NL]; Breestraat 85, NL-1541 EC Koog A/D Zaan (NL). (74) Agent: VAN BREDA, Jacques; Octrooibureau Los en Stigter B.V., Weteringschans 96, NL-1017 XS Amsterdam (NL).		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> <i>In English translation (filed in Dutch).</i>

(54) Title: AUTOMATIC DISPENSER FOR MEANS FOR PERSONAL CARE**(57) Abstract**

A release-vending machine for personal care products like soap, perfumes, eaux de toilettes and the like contains at least one register suitable for keeping a collection of units of such like care products, and an externally operated release-control, which is guide-connected with the register and releases a unit from the register after activating, and also a product take-out unit which is receive-connected with the register and externally accessible and in which the unit that has been released from the register comes available. The vending machine is equipped with sprays and at least a feed connected sampling holder which contains said care product in aerosol-form. The release-control contains a selection means for the selection made in dependence by activating the release-control, releasing a unit from the register or release of a previously determined quantum of the care product from the sampling holder for external spread by means of the spray.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NI	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Automatic dispenser for means for personal care

The invention refers to a release-vending machine for personal care products, like soap, perfumes, eaux de toilettes and the like.

In itself vending release-vending machines are
5 universally known. These are applied for sale of candy, cigarettes, condoms, as well as for foods like croquettes, bami and the like. Generally such release-vending machines contain at least one register, suitable to keep a
10 collection of units of the product to sell; in this case of the personal care products in question, as well as a release-control which can be operated externally, and is guide-connected with the register and after activation releases an unit from the register and furthermore a product-take out unit, which is receive-connected with the
15 register and which is externally accessible and in which the unit that has been released from the register comes available.

The application of release-vending machines for personal care products, like soap, perfumes, eaux de
20 toilettes and the like never became popular, because as a rule suchlike products of luxury require personal contact between a vendor and the person interested in the product. For the persons interested often want to have a personal advice, or at least experience the characteristic
25 properties of the product concerned before passing on to purchase of the product.

With the invention it is intended to open a totally new market channel for the sales of personal care products, by which personal contact between a vendor and
30 the purchaser is not longer necessary, nevertheless while securing all the advantages which can be attained by such direct contact in respect of getting acquainted with the characteristic properties of the product to purchase.

This is accomplished with the release-vending
35 machine according to the invention, as this vending machine has been equipped with sprays and at least a feed-connected sampling holder connected thereto, which

contains said care product in aerosol-form, and that the release-control contains a selection means for, depending on the selection made, activating the release-control for releasing a unit from the register or releasing a
5 previously determined quantum of the care product from the sampling holder for external dispersion by means of the sprays. In this way the person who is intending to pass on to purchase a perfume, eaux de toilette, soap or something like that, is able to acquaint oneself with the character
10 of the product one is willing to buy, by first acquiring a quantum of the care product which is contained in the sampling holder.

An important advantage of the release-vending machine according to the invention is, that in this way it
15 is also possible to use the purchased sample as an interim refreshment of a scent already used earlier in the day, respective as a first application without passing on to further purchase a product unit from the register. Besides it is supposed that in this way the turnover in the
20 concerned personal care products will be stimulated, and also that in a simple manner sales data can be registered for evaluation and if necessary adaptation of the product scale to sell with the release-vending machine.

This latter aspect of the release-vending machine
25 according to the invention will especially be reached in case there is more than one register, and that in use each register as such, with regard to a previously determined property of the care product, is filled uniformly with units of such care products, and further that each
30 register includes a sampling holder filled with a substance of aerosol, which characterizes the previously determined property of the care product.

Preferably the release-vending machine is provided with an internally placed feed module, which is free of
35 external connections and which serves to energize the vending machine. In this way the vending machine is appropriated to be installed on any place, without making demands on the availability of power by means of electricity or otherwise. Market groups to which sales

normally lend themselves hardly, can be opened in this way, as it is not necessary to make demands to the availability of external power.

It is preferred that the release-vending machine
5 contains a pay unit and that the feed module includes a switch unit for switching on the vending machine in dependence on operation of the pay unit, and after a previously determined course of time following on switching on the vending machine, switching it off again.
10 In this way the period that may pass between consecutive services of the vending machine will be expanded as much as possible, so that the expenses for feeding this market channel can remain restricted.

For the selection of a unit of a product or to
15 release a certain quantum of the care product in the form of aerosol, it is possible to customarily provide for push buttons or comparable operating mechanisms. However, it is preferred that the concerning selection means is formed by the pay unit. By input of the necessary pecuniary
20 equivalent in the pay unit the selection can be executed.

The release-vending machine according to the invention will be illustrated further on basis of the drawing, in which:

fig. 1 shows a side view in section of the release-
25 vending machine according to the invention, and

fig. 2 shows a front view in section of the release-vending machine according to the invention.

The release-vending machine has a housing 1, in which the registers 2, 3 and 4 are provided, and in which
30 the personal care products to sell, like soap, perfumes, eaux de toilettes, can have been accommodated in units. For each register 2, 3, 4 the machine also includes a sampling bottle 5, 6, 7, each bottle containing a substance in the form of aerosol, which is characteristic
35 for the property or properties of the care products which have been provided in the respective registers 2, 3, 4. Further the release-vending machine has been equipped with a pay unit 8 and push buttons 17, 18, with which a selection can be made of a product unit from register 2,

3, 4 will be gotten, or a quantum of aerosol from the sampling holders 5, 6, 7. In an alternative embodiment (not shown) the selection can be made entirely with the pay unit 8 by input of the right pecuniary equivalent of the required selection. The selection of the type of product that will be bought from the release-vending machine 1, can be made with push buttons 9, 10, 11, which buttons are used for selecting the required product group, in which case uniform properties with respect to the characteristic properties of the care product in respective register 5 and sampling holder 9, register 6 and sampling holder 10 and register 7 and sampling holder 11 are provided. After selection and release of a product from a register 2, 3, 4 this comes available in a product release unit 12, which is externally accessible for taking out the concerning unit from the release-vending machine 1. In case selection with push buttons 17, 18 has led to a choice for external dispersion of the aerosol which is provided in the sampling holders 5, 6, 7, operation of the release-control or buttons 9, 10, 11 leads to dispersion of the sprays 13, 14 or 15 in a previously determined quantum. For that purpose the sampling holders 5, 6, 7 have been connected with suitable lines to the sprays 13, 14, 15.

Further an internally placed feed module 16 has been accommodated in the release-vending machine, which is free of external connection and which is used for energizing the vending machine 1. Further a switch unit (not shown) has been connected with the feed module 16 for switching on the release-vending machine 1 in dependence of the attendance of the pay unit 8 and for switching off the vending machine after a previously determined course of time following on switching on the machine.

Naturally it is possible to extend the release-vending machine in a simple way with more registers and additionally placed sampling holders and also to supply alternative release-controls and selection supplies than the shown push buttons 9, 10, 11 (as a release-control) and push buttons 17, 18 (as a selection means) in order to

realize the required functions without deviating from the scope of invention as defined by the appended claims.

CLAIMS

1. Release-vending machine for personal care products, like soap, perfumes, eaux de toilette and the like, containing at least one register (2, 3, 4), suitable for containing a collection of units of said care products, and an externally operated release-control (8, 9, 10, 11), which is guide-connected with the register (2, 3, 4) and after activating releases an unit from the register, and also a product-take out unit (12), which is receive-connected with the register (2, 3, 4) and externally accessible and in which the unit which has been released from the register comes available, characterized in that the machine comprises sprays (13, 14, 15) and at least a feed-connected sampling holder (5, 6, 7) connected thereto which contains said care product in aerosol form, and that the release-control (8, 9, 10, 11) contains a selection means (8, 17, 18) to release an unit from the register (2, 3, 4) depending on the selection made by activating the release-control (9, 10, 11), or to release a previously determined quantum of the care product from the sampling holder (5, 6, 7) for external dispersion by means of the sprays (13, 14, 15).

2. Release-vending machine according to claim 1, characterized in that there is more than one register, and that in use each register (2, 3, 4) as such, with regard to a previously determined property of the care product is filled uniformly with units of said care products, and further that per register (2, 3, 4) a sampling holder (5, 6, 7) is available, which is filled with a substance of aerosol which characterizes the previously determined property of the care product.

3. Release-vending machine according to claim 1 or 2, characterized in that this comprises an internally placed feed module (16) which is free of external connections and which is used for energizing the vending machine.

4. Release-vending machine according to claim 3, characterized in that this comprises a pay unit (8) and that the feed module (16) includes a switch unit for switching on the vending machine in dependence of the attendance of the pay unit (8), and for switching off the vending machine after a previously determined course of time following on switching on the vending machine.

5. Release-vending machine according to claim 1 and 4, characterized in that the selection means is formed by the pay unit (8).

6. Release-vending machine according to any one of claims 1-4, characterized in that the selection means is formed by push buttons (17, 18).

1/2




FIG 1
SUBSTITUTE SHEET (RULE 26)

2/2




FIG 2

SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

Int: onal Application No

PCT/NL 96/00454

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G07F13/08

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07F A47F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y A	GB 2 145 694 A (I. FARINI) 3 April 1985 see the whole document ---	1,2 4,6
Y	FR 2 637 168 A (AMOZEA) 6 April 1990 see abstract; claims; figures ---	1,2
A	AU 549 884 B (CHARMA INTERNATIONAL) 20 February 1986 see page 6, line 10 - line 30; claims; figures ---	1,2,4,5
A	DE 91 10 152 U (F. HÖFLE) 16 January 1992 ---	
A	DE 41 38 004 A (W. PÖHNER) 27 May 1993 ---	
A	US 5 044 520 A (H. MOISAN) 3 September 1991 -----	

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

25 February 1997

Date of mailing of the international search report

12. 03. 97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

David, J

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/NL 96/00454

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2145694 A	03-04-85	NONE	
FR 2637168 A	06-04-90	NONE	
AU 549884 B	20-02-86	NONE	
DE 9110152 U	16-01-92	NONE	
DE 4138004 A	27-05-93	NONE	
US 5044520 A	03-09-91	WO 9206452 A	16-04-92